

2025 AM



Table of Contents

FORKS

32 mm	RC32 Boost	2
34 mm	E-SWEEP Boost	4
	E-SLIDE Boost	6
		8
36 mm	Trace 36	8
	RV1 27.5 DH	10
		12
38 mm	Vengeance 38	13
	RV1 29 DH	

SHOCKS

O2 PRO RL/RLX	14
Microlite RLR/RL	16
H3A HLR/RCP	18
H3C HLR/RCP	20

SEAT POSTS

Manic-Gravel	22
Manic	23
E-Manic	24

Specifications	26
Distributor and Service center	28

Product Use Chart

	GRAVEL	XC	TRAIL	ALL MOUNTAIN	FREERIDE	DH
27.5 INCH		RC32 Boost				
		E-Sweep Boost				RV1 27.5 DH
29 INCH		RC32 Boost				
			E-Slide Boost			
				Trace 36		
				Vengeance 38		
						RV1 29 DH
REAR SHOCKS		Microlite				
			O2 Pro R/RL/RLR/RLX			
					H3C	
					H3A	
POSTS	Manic-Gravel					
				Manic		
				E-Manic		

Brake Size Chart

	STANDARD	MAX
RC32 Boost	160 post mount	
Trace 36 E-Sweep Boost E-Slide Boost RV1 27.5 DH Vengeance 38 RV1 29 DH	180 post mount	203mm

RC32 Boost Series

32mm Stanchion Tube 27.5, 29 Inch Wheel Fork Up To 130mm of Travel

RC32 27.5 Boost

Weight	4.2 pounds / 1900 grams
Wheel Size	27.5 inch
Travel	80mm, 100mm, 130mm
Stanchion	32mm Anodized aluminum
Spring	Air
Damper	RC Damper
Adjustments	Compression(open to firm), Rebound, Air spring
Steerer	Taper Standard
Axle	Thru Axle 110x15mm Boost
Options	RC Remote
Offset	46mm
Standard Colors	Matte Black, Gloss Black

32
mm



RC32 29 Boost

Weight	4.3 pounds / 1920 grams
Wheel Size	29 inch
Travel	80mm, 100mm, 130mm
Stanchion	32mm Anodized aluminum
Spring	Air
Damper	RC Damper
Adjustments	Compression(open to firm), Rebound, Air spring
Steerer	Taper Standard
Axle	Thru Axle 110x15mm Boost
Options	RC Remote
Offset	51mm
Standard Colors	Matte Black, Gloss Black

32
mm



E-SWEEP Boost

34mm Stanchion Tube 27.5 Inch Wheel Fork Up To 160mm of Travel

E-Sweep Boost Roughcut HLR

Weight	4.4 pounds / 2000 grams
Wheel Size	27.5 inch
Travel	120mm, 140mm, 160mm
Stanchion	34mm Anodized aluminum
Spring	Air
Damper	Roughcut HLR
Adjustments	HS comp, LS comp, Rebound, Air spring
Steerer	Taper Standard
Axle	Thru Axle 110x15mm Boost
Offset	46mm

34
mm



E-SLIDE Boost

34mm Stanchion Tube 29 Inch Wheel Fork Up To 140mm of Travel

E-Slide Boost Roughcut HLR

ABS Mount

Weight	4.4 pounds / 2000 grams
Wheel Size	29 inch
Travel	100mm, 120mm, 140mm
Stanchion	34mm Anodized aluminum
Spring	Air
Damper	Roughcut HLR
Adjustments	HS comp, LS comp, Rebound, Air spring
Steerer	Taper Standard
Axle	Thru Axle 110x15mm Boost
Offset	51mm & 44mm

34
mm



TRACE 36 Series

36mm Stanchion Tube 29 Inch Wheel Fork Up To 170mm of Travel

Trace 36 Roughcut HLR **ABS Mount**

Weight	4.4 pounds / 2000 grams
Wheel Size	29 inch
Travel	140mm, 160mm, 170mm
Stanchion	36mm Anodized aluminum
Spring	Coil(Soft, Standard, Firm), Air spring
Damper	Roughcut HLR
Adjustments	HS comp, LS comp, Rebound, Air spring or Preload spring
Steerer	Taper Standard
Axle	Thru Axle 110x15mm Boost
Offset	51mm & 44mm

36
mm





RV1 27.5 DH Series

36mm Stanchion Tube 27.5 Inch Wheel Fork Up To 200mm of Travel

RV1 Roughcut HLR

Weight	7.4 pounds / 3350 grams
Wheel Size	27.5 inch
Travel	200mm
Stanchion	36mm Anodized aluminum
Spring	Coil
Damper	Roughcut HLR
Adjustments	HS comp, LS comp, Rebound, Air spring
Steerer	1-1/8th dual crown
Axle	Thru Axle 110x20mm non Boost
Offset	46mm
Standard Colors	Matte Black

36
mm

Tall Crown for RV1



VENGEANCE Series

38mm Stanchion Tube 29 Inch Wheel Fork Up To 180mm of Travel



VENGEANCE 38

Weight	2400 grams
Wheel Size	29 inch
Travel	160mm, 170mm, 180mm
Stanchion	38mm Anod aluminum
Spring	Air
Damper	Finecut HLR
Adjustments	HS comp, LS comp, Rebound, Air spring
Steerer	Taper Standard
Axle	Thru Axle 110x15mm Boost
Offset	51mm & 44mm

38
mm



12



RV1 29 DH Series

38mm Stanchion Tube 29 Inch Wheel Fork Up To 200mm of Travel



RV1 38mm Finecut HLR

Weight	2950 grams
Wheel Size	29 inch
Travel	200mm
Stanchion	38mm Anod aluminum
Spring	Air
Damper	Finecut HLR
Adjustments	HS comp, LS comp, Rebound, Air spring
Steerer	1-1/8th
Axle	Thru Axle 110x20mm Boost
Offset	56mm & 46mm

38
mm



13

02 PRO Series

High-Performance All CNC-Machined Aluminum Air Shock



★ Available ★
Standard/Metric/Trunion



Quick Flip Remote

02 Pro RL

Weight 265 grams
 Spring Air
 Adjustments Lockout, Rebound, Air pressure
 Sizes All Standard and Metric
 Options AV Air Sleeve, Polymer Hardware, Quick Flip Remote, Lockout



02 Pro RLX

Weight 265 grams
 Spring Air
 Adjustments 3 Pos. Comp Adjust, Rebound, Air pressure
 Sizes All Standard and Metric
 Options AV Air Sleeve, Polymer Hardware

Microlite Series

165-Gram Microshock For Cross Country Riding And Racing



Microlite RLR

Weight	165 grams
Spring	Air
Adjustments	Lockout, Rebound, Air pressure
Sizes	165x38, 184x44, 190x50
Options	Polymer Hardware



Microlite RL

Weight	165 grams
Spring	Air
Adjustments	Lockout, Rebound, Air pressure
Sizes	165x38, 184x44, 190x50
Options	Polymer Hardware

H3A Series

New piggyback Air shock, Three positions platform, low speed, rebound

H3A HLR

Weight 545 grams(w/o spring)
Spring Air
Adjustments HS comp, LS comp, Rebound
Sizes Metric, Trunnion
Options Polymer Hardware

H3A RCP

Weight 515 grams(w/o spring)
Spring Air
Adjustments Three positions platform, Low speed, Rebound
Sizes Metric, Trunnion
Options Polymer Hardware




H3C Series

New piggyback Coil shock, Three positions platform, low speed, rebound

H3C HLR

Weight	350 grams(w/o spring)
Spring	Coil
Adjustments	HS comp, LS comp, Rebound
Sizes	Metric 250/75 & Trunnion 225/75
Options	Polymer Hardware



H3C RCP

Weight	318 grams(w/o spring)
Spring	Coil
Adjustments	Three positions platform, Low speed, Rebound
Sizes	Metric, Trunnion
Options	Polymer Hardware


Dropper Seat Posts

Full range dropper seat posts line with internal routing

MANIC GRAVEL Series

Manic 50mm

Travel 50mm
Weight 420 grams
Sizes 27.2mm
Remote New two ways control remote system



MANIC Series

Manic 100mm

Travel 100mm
Weight 416 grams(30.9mm)
Sizes 27.2mm, 30.9mm, 31.6mm and 34.9mm
Note Internal cable routing only

Manic 150mm

Travel 150mm
Weight 521 grams(30.9mm)
Sizes 30.9mm, 31.6mm and 34.9mm
Note Internal cable routing only

Manic 190mm

Travel 190mm
Weight 689 grams
Sizes 30.9mm, 31.6mm and 34.9mm
Note Internal cable routing only

Manic 125mm

Travel 125mm
Weight 459 grams(30.9mm)
Sizes 30.9mm, 31.6mm and 34.9mm
Note Internal cable routing only

Manic 170mm

Travel 170mm
Weight 550 grams(30.9mm)
Sizes 30.9mm, 31.6mm and 34.9mm
Note Internal cable routing only

Manic 200mm

Travel 200mm
Weight 694 grams(34.9mm)
Sizes 30.9mm, 31.6mm and 34.9mm
Note Internal cable routing only

Remote Number	Remote type	Photo of remote	MANIC	I-SPEC 2	I-SPEC EV	MMX
1	Alloy without angle adjustable remote		√	√	√	√
2	Plastic without angle adjustable remote		√	√	√	√
3	Entry Plastic standard remote		√			
4	Gravel two ways control remote		√			



E-MANIC Series

E-Manic

Travel	100mm, 125mm, 150mm, 170mm, 200mm
Weight	682 grams(30.9mm / 150mm)
Sizes	30.9mm, 31.6mm
Length Options	330mm, 386mm, 441mm, 485mm, 551mm
Connection Type	Wireless



Battery Type: 18350 3.7V 850mAh
 Remote Battery: CR2032
 Charging cable Type: USB to Type-C



E-Manic Remote



SPEC CHART

FORK //

27.5 INCH FORKS			
Family	RC32 Boost	E-SWEEP	RV1
Model name	RC32 27.5 Boost	E-SWEEP Boost Roughcut HLR	RV1 Roughcut HLR
Category	XC/Trial	XC/Trial	AM/FR/DH
Target Wt. Lbs/Grams	4.2/1900g	4.4/2000g	7.4/3350g
Spring	Air	Air	S, M, F, XF Coil
Steerer/Material	Taper Standard	Taper Standard	1-1/8th dual crown
Damper	RC Damper	Roughcut HLR	Roughcut HLR
Adjustments	Compression(open to firm), Rebound, Air spring	HS comp, LS comp, Rebound, Air spring	HS comp, LS comp, Rebound, Air spring
Offset	46mm	46mm	46mm
Axle	Thru Axle 110x15mm Boost	Thru Axle 110x15mm Boost	Thru Axle 110x20mm non Boost
Standards Colors	Matte Black, Gloss Black	Matte Black, Gloss Black	Matte Black
Options	RC Remote		

29 INCH FORKS					
Family	RC32 Boost	E-SLIDE	TRACE 36	VENGEANCE	RV1
Model name	RC32 29 Boost	E-SLIDE Boost Roughcut HLR	TRACE 36 Roughcut HLR	VENGEANCE 38	RV1 38mm Finecut HLR
Category	XC/Trial	XC/TRAIL	Trail/AM/FR	Trail/AM/FR	AM/FR/DH
Target Wt. Lbs/Grams	4.3/1920g	4.4/2000g	4.4/2000g(Air) 5.3/2400g(Coil)	2460g	2950g
Spring	Air	Air	Coil(Soft, Standard, Firm), Air spring	Air	Air
Steerer/Material	Taper Standard	Taper Standard	Taper Standard	Taper Standard	Taper Standard
Damper	RC Damper	Roughcut HLR		Finecut HLR	Finecut HLR
Adjustments	Compression(open to firm), Rebound, Air spring	HS comp, LS comp, Rebound, Air spring		HS comp, LS comp, Rebound, Air spring	HS comp, LS comp, Rebound, Air spring
Offset	51mm	51mm & 44mm	51mm & 44mm	51mm & 44mm	56mm & 46mm
Axle	Thru Axle 110x15mm Boost	Thru Axle 110x15mm Boost	Thru Axle 110x15mm Boost	Thru Axle 110x15mm Boost	Thru Axle 110x20mm Boost
Standards Colors	Matte Black, Gloss Black	Matte Black, Gloss Black	Matte Black, Gloss Black	PMS 285C, PMS 466C	PMS 285C, PMS 466C
Options	RC Remote				

SHOCK //

SHOCKS								
Family	O2 PRO Series				H3C Series		H3A Series	
Model	O2 PRO R	O2 PRO RL	O2 PRO RLX	O2 PRO RLR	RCP	HLR	RCP	HLR
Category	XC/Trail/AM				XC/Trail/AM	DH	XC/Trail/AM	DH
Target Wt. Lbs/Grams	165(265g), 184 AV(297g)	165(265g), 184 AV(297g)	165(265g), 200 AV(300g)	165(265g), 200 AV(300g)	318g(w/o spring)	350g(w/o spring)	515g(w/o spring)	545g(w/o spring)
Spring	Air				Coil		Air	
Adjustments	Rebound	Rebound, Lockout	Rebound, 3 Positions Comp.	Rebound, Lockout	3 Positions platform, LS comp, Rebound	HS comp, LS comp, Rebound	3 Positions platform, LS comp, Rebound	HS comp, LS comp, Rebound
Options								
Poly Hardware	Y	Y	Y	Y		Y		Y
AV Sleeve	Y	Y	Y	Y				
Remote Lockout				Q Flip mono				

REAR SHOCK SIZE CHART								
Standard Mount			Metric Mount			Trunnion Mount		
Eye to Eye	Stroke	Model	Eye to Eye	Stroke	Model	Eye to Eye	Stroke	Model
165	38	O2 PRO	170	30/35	O2 PRO	145	30/35	O2 PRO
184	44	O2 PRO	190	40/45	O2 PRO	165	40/45	O2 PRO
190	51	O2 PRO	210	50/55	O2 PRO/H3C/H3A	185	50/55	O2 PRO/H3C/H3A
200	51	O2 PRO	230	60/65	O2 PRO/H3C/H3A	205	60/65	O2 PRO/H3C/H3A
200	56	O2 PRO	250	70	H3C DH/ H3A DH	225	75	H3C DH/ H3A DH
215	63	O2 PRO						

SEAT POST //

POSTS				
Family	MANIC GRAVEL	MANIC		E-MANIC
Model	Manic 50mm	Manic 100mm	Manic 125/150/170/190/200mm	E-manic
Category	Gravel	XC/Trail/AM	XC/Trail/AM	XC/Trail/AM
Travel	50mm Infinite Adjust	100mm infinite adjust	125, 150, 170, 190, 200mm infinite adjust	100, 125, 150, 170, 200mm Infinite Adjust
Weight Target	420g	416g(30.9)	459g(30.9/125mm), 521g(30.9/150mm), 550g(30.9/170mm), 689g(30.9/190mm), 694g(30.9/200mm)	669g(30.9/150mm)
Outer Post Material	Aluminum	Aluminum		Aluminum
Small Inner Shaft Material	Black Ano	Black Ano		Black Ano
OD	27.2mm	27.2mm, 30.9mm, 31.6mm, 34.9mm	30.9mm, 31.6mm, 34.9mm	30.9mm, 31.6mm
Color	Black	Black	Black	Black
Remote	New two ways control remote system			E-Remote
Notes	Internal cable routing only	Internal cable routing only	Internal cable routing only	

Distributor and Service Center

UNITED STATES - OFFICIAL SERVICE CENTER
MAD SUSPENSION SERVICE INC
Tel: (775) 391-0783
E-Mail:service@madsuspension.com
add:4690 Longley Ave, Suite 22, Reno, Nevada, 89502
website:madsuspension.com

EUROPEAN SERVICE HEADQUARTERS
LEMON SHOX
Tel:0911 / 27460066
E-Mail:mail@lemonshox.com
add:Schleifweg 53 90409 Nürnberg Germany
website:www.lemonshox.com

ANDORRA
ASZ DISTRIBUTION
Tel:+34 652735383
E-Mail:asiersainz01@gmail.com
add:The immaculate 25 48903 Barakaldo (Bizkaia)
website:http://www.asz-distribucion.com

ANDORRA(SERVICE)
ORING SUSPENSION CENTER
Tel:+34947719014 Mobile:+34722459002
E-Mail:Taller@oringsuspensiones.com
add:Calle Juan de Padilla N°6 Bajo 09006 Burgos
website:https://oringsuspensiones.com/

AUSTRALIA(EAST)-CW WORKS
Tel:0424 755 114
E-Mail:cwworksau@gmail.com
add:127 Amber Crescent, Narre Warren, Victoria 3805 Australia

AUSTRALIA(WEST)-RnR Suspension Specialists
Tel:0428 263 668
E-Mail:rnruspensionsspecialist@gmail.com
add:2/12 Laurence Road, Walliston 6076 Australia
website:https://www.rnruspensionsspecialists.com/

BELGIUM
VD SPORT IMPORT
Tel:+31 (0) 629321900
E-Mail:info@x-fusionshox.nl
add:Boterwijksestraat 11 5688 HX Oirschot The Netherlands
website:www.x-fusionshox.nl

BENELUX
VD SPORT IMPORT
Tel:+31 (0) 629321900
E-Mail:info@x-fusionshox.nl
add:Boterwijksestraat 11 5688 HX Oirschot The Netherlands
website:www.x-fusionshox.nl

BRAZIL
SCITEX IMP. COM. E SERV. LTDA.
Tel:tel (11) 5587-3662
E-Mail:Scitex@scitex.com.br
add:Rua Carneiro Da Cunha, 872 Sao Paulo, SP-04144-001
website:www.scitex.com.br

BULGARIA
VELOMANIA LTD.
Tel:00359 2 812 70 60
E-Mail:info@velomania-bg.com
add:"Gueshevo", Street 83 1330 Sofia
website:www.velomania-bg.com

CANADA (EAST)
S4 SUSPENSION
Tel:450-504-1148
E-Mail:sgaron@s4suspension.com
add:801 Rue Pasteur, Unit 103 Saint-Jérôme, Quebec, J7Z 0E2
website:www.s4suspension.com

CANADA (WEST)
SERVICE ONLY SUSPENSION WERX
Tel:778-340-2013
E-Mail:info@suspensionwerx.com
add:1443 Hunter Street North Vancouver, BC, V7A 1H3
website:www.suspensionwerx.com

CHILE
BIKEPLANET CHILE SPA (SALES)
Tel:+56-9-92261093
E-Mail:ventas@bikeplanet.cl
add:LOS REFUGIOS 19000 P55 LO BARNECHEA SANTIAG

CHINA
VOLARE
Tel:+86 0769 26981212
E-Mail:124428661@qq.com
add:2F, 328 Tianxin Village Hongyuan Road Nancheng District Dongguan City
website:https://www.volare.com.cn/

CZECH REPUBLIC SERVICE - SPORT PORT
Tel:+420 773 776 964
E-Mail:mancik@sportport.cz
add:Kačírkova 982/4, Praha 5 Jinonice, 158 00. CZECH REPUBLIC
website:https://www.sportport.cz/en/uvod/

CZECH REPUBLIC SERVICE
KG BIKE
Tel:+ 420 608018374
E-Mail:goabike@seznam.cz
add:Kamil Giercuskiewicz Jaselská 1195/2 Havířov, 73601

FRANCE
EXACYCLE
Tel:06 33 20 42 44
E-Mail:info@exacycle.com
add:254 chemin des vignes 01500 Château-Gaillard (Ain)
website:https://www.facebook.com/EXACYCLE/

FRANCE
ROYAL SUSPENSION
Tel:+33 6 98 91 30 48
E-Mail:royalsuspension@yahoo.fr
add:Pont-À-Mousson, Lorraine
website:www.royalsuspension.com

HUNGARY
MR-PROJEKT BIKES
Tel:+36-70-318-317-8
E-Mail:info@mr-projekt.com
add:Jerikó u. 25. Debrecen Hajdú-Bihar 4032

GERMANY
LEMON SHOX
Tel:0911 / 27460066
Tel:mail@lemonshox.com
add:Schleifweg 53 90409 Nürnberg Germany
website:http://www.lemonshox.com/

INDONESIA
PT. WAHANA INTI UTAMA
Tel:+6221 8170178168
E-Mail:frans.suryadi@bab-indonesia.com
add:Jl. Alam Sutera Boulevard No.12a, Pakulonan, Serpong, Kota Tangerang Selatan, Banten 15325, Indonesia

ITALY
SS38 Bike Lana
Tel:+39 0473 491186
E-Mail:info@ss38-bike.it
add:Via Merano, 7, 39011 Lana BZ, ITALY
website:https://www.mtb-suedtirol.com/

ISRAEL
RANOFUN
Tel:+972-49522334
E-Mail:ranofun@gmail.com
add:Shavei Zion Road 3, PO Box 92 Zip Code 22806
website:http://ranofun.co.il/

JAPAN
GRAVITY LABS
Tel:+81 27-288-8177
E-Mail:gravitylab191s@gmail.com
add:Kogure 421-4 Maebashisi Huzimityou Gunnmaken, 371-0103
website:www.gravity-lab.com

KOREA
GS OUTDOOR
Tel:+82 070 8600 0846
E-Mail:gsoutdoor@naver.com
add:1119-1 Kwanyang-dong Anyang-sh
website:www.gsoutdoor.co.kr

LUXEMBURG
VD SPORT IMPORT
Tel:+31 (0) 629321900
E-Mail:info@x-fusionshox.nl
add:Boterwijksestraat 11 5688 HX Oirschot The Netherlands
website:www.x-fusionshox.nl

MALAYSIA
SEN AIK TRADING
Tel:603-33431050
E-Mail:yeann@senaik.com
add:12-1-1, Jalan Setia Prima Q U13/Q, Setia Alam, Sek U13, 40170 Shah Alam, Selangor Darul Ehsan
website:www.senaik.com

MEXICO
ELITE BIKE(SCOTT Bikes only)
Tel:+52 871 716 0795
E-Mail:alma.fraire@elitebike-mx.com
add:Bldv. Independencia Ote. 1199 Col. San Isidro, Torreón, Coah. MX, C.P. 27100
website:http://www.elitebike.mx/

MEXICO
DOS BIKEXTORE
Tel:(+52)442 688 48 92
E-Mail:hola@bikextore.com
add:Av. Prolongacion Teconologico 700, Local 1, Plaza Los Fresnos Mexico
website:https://www.bikextore.com/

MEXICO
VELOCI
Tel:52 (01 33) 32383-1160
E-Mail:veloci@veloci.com.mx
add:No.76. Colonia Agua Blanca Industrial Zapopan, Jalisco Mexico. C.P. 45235
website:www.veloci.com.mx

NETHERLANDS
VD SPORT IMPORT
Tel:+31 (0) 629321900
E-Mail:info@x-fusionshox.nl
add:Boterwijksestraat 11 5688 HX Oirschot
website:www.x-fusionshox.nl

NEW ZEALAND - Shockcraft
Tel +64 3 976 7790
E-Mail sales@shockcraft.co.nz
add 58 Boundary Road, Alexandra 9320, NZ
website https://www.shockcraft.co.nz/

PERU
STORM BIKE'S SAC
Tel:+51(01)333 0102
E-Mail:info@stormbikes.com.pe
add:Av. Emancipacion 835 interior 304-148 Lima, Perú
website:www.stormbikes.com.pe

PHILIPPINES
PEREGRINE MARKETING
Tel:+032 233 0352
E-Mail:sales@peregrinebike.com
add:E.O. Perez St. Subangdaku, North Reclamatiön, Mandaue City, Cebu

PHILIPPINES
FAREN ENTERPRISES
Tel:09177730544
E-Mail:sam_estimo@yahoo.com
E-Mail:59-Bansalangan Street, Project 7, Quezon City, Metro Manila
website:www.bikes.com.ph

PHILIPPINES
CHEAB BICYCLE PARTS SUPPLY
Tel:+09774703626
E-Mail:realbikeshop@yahoo.com
add:104 QUEZON PIAPI BOULEVARD Davao Cit Philippines 8000

POLAND
SPIDER SUSPENSIONS
Tel:+48 515 687 787
E-Mail:biuro@spidersuspensions.com
add:ul. 1 Maja 251 41-710 Ruda Śląska
website:spidersuspensions.com/pl/home/

PORTUGAL
SERVICE ORING SUSPENSION CENTER
Tel:+34947719014 Mobile:+34722459002
E-Mail:Taller@oringsuspensiones.com
add:Calle Juan de Padilla N°6 Bajo 09006 Burgos
website:https://oringsuspensiones.com/

PORTUGAL
ASZ DISTRIBUTION
Tel:+34 652735383
E-Mail:asiersainz01@gmail.com
add:The immaculate 25 48903 Barakaldo (Bizkaia)
website:http://www.asz-distribucion.com

ROMANIA
VELOMANIA LTD.
Tel:00359 2 812 70 60
E-Mail:info@velomania-bg.com
add:"Gueshevo", Street 83 1330 Sofia
website:www.velomania-bg.com

RUSSIA
TEAMMANO CO.
Tel:+89162431710
E-Mail:shop@teammano.ru
add:Москва, Щелковское шоссе, д. 3, стр. 1, ТЦ Хобби, павильон 179, 1-й этаж
website:https://teammano.ru/

SINGAPORE - Custom Bike Co.
Tel:+65 88220122
Tel:custombikecosg@gmail.com
add:2 Jalan Lokam, #01-02, Kensington Square, Singapore 537846. (Along Upper Paya Lebar Road)
website:https://www.facebook.com/CBCSG/

SLOVENIA
COMTRON D.O.O.
Tel:02 3003 515
E-Mail:rene.vrecl@comtron.si
add:Tržaška cesta 21, 2000 Maribor Slovenia
website:www.akcija.si/bikes

SPAIN
SERVICE ORING SUSPENSION CENTER
Tel:+34947719014 Mobile:+34722459002
E-Mail:Taller@oringsuspensiones.com
add:Calle Juan de Padilla N°6 Bajo 09006 Burgos
website:https://oringsuspensiones.com/

SPAIN
ASZ DISTRIBUTION
Tel:+34 652735383
E-Mail:asiersainz01@gmail.com
add:The immaculate 25 48903 Barakaldo (Bizkaia)
website:http://www.asz-distribucion.com

SOUTH AFRICA
SERVICE ROBBIE'S BICYCLE CONCEPT
Tel:071 331 8834
E-Mail:robbie@robbiesbicycleconcept.co.za
add:Unit 8, Moffett Business Centre, 104 Restitution Road, Port Elizabeth
website:www.robbiesbicycleconcept.co.za

SWITZERLAND
SUSPENSION CENTER
Tel:+41 (0) 31 809 30 20
E-Mail:info@scenter.ch
add:Gurnigelstrasse 11 CH-3132 Riggisberg
website:www.suspensioncenter.ch

TAIWAN
IRON STABLE
Tel:04 25575422
E-Mail:contact@ironstable.com.tw
add:No. 260, Kuang-Cheng Lane, Nei-Tung Rd Houli Shiang, Taichung Country
website:www.ironstable.com.tw

THAILAND
RAJA CYCLE CO., LTD.
Tel:+66 2703 6818
add:417 M.2 Bangplee-Tamrue Road, Phrekasamai, Muang, Samutprakarn, Thailand 10280
website:www.optima.bike

TURKEY
KRON BISIKLET A.S.
Tel:444 68 10
E-Mail:info@kronbisiklet.com.tr
add:Tepeoren Mah, San. Bolg. 7, #11 Istanbul Tuzla, 34959
website:www.kronbisiklet.com.tr

UKRAINE
Benocepic ROVER
Tel:+38-0955892559
E-Mail:info@veloservice.if.ua
add:Nadrichna 2, Ivano-Frankivsk
website:http://veloservice.if.ua/

UNITED KINGDOM
UPGRADE BIKES LTD
Tel:+44 (0) 1403 711 611
E-Mail:Info@Upgradebikes.co.uk
add:Star Road Unit A/B, Partridge Green, West Sussex, RH13 8RA
website:http://www.upgradebikes.co.uk

UNITED STATES
J&B IMPORTERS, INC.
Tel:(305) 238-1866
add:11925 SW 128th St. Miami, FL 33186

UNITED STATES
QUALITY BICYCLE PRODUCTS
Tel:(952) 941-9391
E-Mail:sales@qbp.com
add:6400 W 105th Street Bloomington, MN 55438
website:www.qbp.com

UNITED STATES
BICYCLE TECHNOLOGIES INTERNATIONAL
Tel:(800) 558-8324
E-Mail:accounts@bti-usa.com
add:33 Velocity Way Santa Fe, New Mexico 87508
website:bti-usa.com



XFUSIONSHOX.COM

**X
F
U
S
I
O
N**

